

Louisiana Office of Public Health

STD/HIV Surveillance Program

DeAnn Gruber, PhD, LCSW

Administrative Director

Jeffrey Hitt, M.Ed

Associate Director

Debbie Wendell, PhD, MPH

Data Management/Analysis Manager

Jessica Fridge, MSPH

Surveillance Manager

Editor/Production:

Demerial Banks, MPH

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, Surveillance Epidemiologist
Tania Bechtel, Data Manager
Joseph Foxhood, BA, OPH IT Project Manager
George Stephens, Information Systems Administrator
Josette Russell, Data Entry Specialist
Lakeesha Brumfield, Data Entry Specialist
William T. Robinson, Ph.D., Biostatistician
Elliot Brannon, MPH, Perinatal Surveillance Coordinator
Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard Connie Gordon Region 1 Regions 1, 3 Cheryl Edney, BS MT(ASCP) Gayle Norris, MA Gale Terry, LPN Regions 4, 5, 6 Regions 7, 8 Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2003-2012)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2003-2012)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	
$\boldsymbol{\varepsilon}$	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2013¹.

- In 2011, Louisiana ranked 3rd in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked 2nd in the nation and the Baton Rouge MSA ranked 3rd in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked 4th highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked 1st in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked 4th in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **18,974** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,360** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2012, of the persons who reported a risk factor, 63% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of June 30, 2013, 51% of all people living with HIV infection in Louisiana were MSM.
- In 2012, **1,170** new HIV cases were diagnosed in Louisiana. Of these cases, **32%** (n=374) occurred in Region 1 (New Orleans) and **24%** (n=275) occurred in Region 2 (Baton Rouge).
- In 2012, **798** new AIDS cases were diagnosed in Louisiana. Of these cases, **32%** (n=256) occurred in Region 1 (New Orleans) and **25%** (n=200) occurred in Region 2 (Baton Rouge).
- In Louisiana, 29% of new HIV cases and 32% of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2012, **74%** of newly diagnosed HIV cases and **79%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2012, **24%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **27%** occurred among persons 25-34 years old.
- As of June 30, 2013, a cumulative total of **33,720** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **338** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2013, is **14,490** including **113** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS Louisiana as of June 30, 2013

- 33,720 cumulative cases have been detected in Louisiana since the beginning of the epidemic, including 338 pediatric cases.
- 14,490 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana since the beginning of the epidemic, including 113 pediatric deaths.
- 18,974 persons are currently living with HIV/AIDS in Louisiana.

Persons living with HIV: **8,614**Persons living with AIDS: **10,360**

<u>Gendei</u>	ľ

	Cases	Percent
Women	5,674	30 %
Men	13,300	70 %
Total	18,974	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<u> </u>	Men	Women	Total	Percent
0 - 12	66	<1 %	Black, Non-Hispanic	8,301	4,695	12,996	68 %
13 - 19	138	1 %	White, Non-Hispanic	4,253	790	5,043	27 %
20 - 24	865	5 %	Hispanic	579	139	718	4 %
25 - 29	1,566	8 %	Asian/Pacific Islander	57	14	71	<1 %
30 - 34	2,026	11 %	American Indian	26	5	31	<1 %
35 - 39	2,250	12 %	Unknown	7	1	8	<1 %
40 - 44	2,422	13 %	Multi-race	77	30	107	1 %
45 - 49	2,855	15 %	Total	13,300	5,674	18,974	100 %
50 - 54	2,927	15 %					
55 - 59	1,987	10 %					
60+	1,872	10 %					
Total	18,974	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,408	0	6,408	51 %
Injection drug use	1,111	665	1,776	14 %
Men who have sex with men and inject drugs	808	0	808	6 %
Heterosexual contact	1,074	2,264	3,338	26 %
Transfusion/Hemophilia	46	32	78	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	95	104	199	2 %
Total	9,542	3,066	12,608	100 %
No Identified Risk	3,758	2,608	6,366	

Total

7,096

2,770

389

31

13

61

10,360

Percent

68 %

27 %

4 %

<1 %

<1 %

100 %

1 %

Persons Living with AIDS Louisiana as of June 30, 2013

- 22,837 cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including 181 pediatric cases.
- 10,360 persons are currently living with AIDS in Louisiana.

Gend	e

	Cases	Percent
Women	2,912	28 %
Men	7,448	72 %
Total	10,360	100 %

Age Category			Race/Ethnicity		
Current Age	Cases	Percent		Men	Women
0 - 12	11	<1 %	Black, Non-Hispanic	4,661	2,435
13 - 19	41	<1 %	White, Non-Hispanic	2,401	369
20 - 24	231	2 %	Hispanic	302	87
25 - 29	508	5 %	Asian/Pacific	26	5
30 - 34	905	9 %	American Indian	11	2
35 - 39	1,158	11 %	Multi-race	47	14
40 - 44	1,387	13 %	Total	7,448	2,912
45 - 49	1,781	17 %			
50 - 54	1,849	18 %			
55 - 59	1,280	12 %			
60+	1,209	12 %			
Total	10,360	100 %			

Exposure Category

No Identified Risk

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,480	0	3,480	48 %
Injection drug use	772	383	1,155	16 %
Men who have sex with men and inject drugs	548	0	548	8 %
Heterosexual contact	657	1,203	1,860	25 %
Transfusion/Hemophilia	33	22	55	1 %
Perinatal	40	46	86	1 %
Total	5,530	1,654	7,184	100 %

1,918

1,258

3,176

Persons Newly Diagnosed with HIV/AIDS Louisiana

HIV CASES DIAGNOSED January - December 2012

• 1,170 persons were newly diagnosed with HIV in Louisiana in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	832	71 %	Black, Non-Hispanic	864	74 %
Women	338	29 %	White, Non-Hispanic	230	20 %
Total	1,170	100 %	Hispanic	56	5 %
			Asian/Pacific Islander	9	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	8	1 %
			Total	1,170	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	10	1 %	Men who have sex with men	435	63 %
13 - 24	280	24 %	Injection drug use	49	7 %
25 - 34	312	27 %	Men who have sex with men and inject drugs	11	2 %
35 - 44	245	21 %	Heterosexual contact	185	27 %
45+	323	28 %	Perinatal	10	1 %
Total	1,170	100 %	Total	690	100 %

No Identified Risk 480

AIDS CASES DIAGNOSED January - December 2012

• 795 persons were newly diagnosed with AIDS in Louisiana in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	539	68 %	Black, Non-Hispanic	629	79 %
Women	259	32 %	White, Non-Hispanic	128	16 %
Total	798	100 %	Hispanic	29	4 %
			Asian/Pacific Islander	3	<1 %
			American Indian	3	<1 %
			Multi-race	6	1 %
			Total	798	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	255	54 %
13 - 24	114	14 %	Injection drug use	54	11 %
25 - 34	218	27 %	Men who have sex with men and inject drugs	13	3 %
35 - 44	200	25 %	Heterosexual contact	144	31 %
45+	265	33 %	Perinatal	5	1 %
Total	798	100 %	Total	471	100 %

No Identified Risk 327

Persons Living with HIV/AIDS by Parish as of June 30, 2013

Parish_	Living Cases	Parish	Living Cases
Acadia	102	Sabine	21
Allen	236	St. Bernard	150
Ascension	203	St. Charles	100
Assumption	29	St. Helena	20
Avoyelles	134	St. James	65
Beauregard	47	St. John the Baptist	162
Bienville	29	St. Landry	272
Bossier	165	St. Martin	110
Caddo	1,022	St. Mary	80
Calcasieu	648	St. Tammany	400
Caldwell	18	Tangipahoa	346
Cameron	3	Tensas	37
Catahoula	28	Terrebonne	197
Claiborne	64	Union	33
Concordia	47	Vermilion	89
De Soto	57	Vernon	59
East Baton Rouge	3,731	Washington	176
East Carroll	34	Webster	65
East Feliciana	151	West Baton Rouge	98
Evangeline	84	West Carroll	15
Franklin	37	West Feliciana	149
Grant	32	Winn	50
Iberia	115		
Iberville	447		
Jackson	29		
Jefferson	1,742		
Jefferson Davis	57		
La Salle	18		
Lafayette	694		
Lafourche	125		
Lincoln	86		
Livingston	180		
Madison	36		
Morehouse	61		
Natchitoches	117		
Orleans	4,519		
Ouachita	577		
Plaquemines	35		
Pointe Coupee	55		
Rapides	426		
Red River	12		
Richland	46		

Total 18,974

Persons Living with AIDS by Parish as of June 30, 2013

Parish_	Living Cases	Parish	Living Cases
Acadia	57	Sabine	15
Allen	124	St. Bernard	87
Ascension	108	St. Charles	49
Assumption	13	St. Helena	12
Avoyelles	72	St. James	35
Beauregard	31	St. John the Baptist	90
Bienville	13	St. Landry	157
Bossier	80	St. Martin	66
Caddo	531	St. Mary	49
Calcasieu	371	St. Tammany	222
Caldwell	8	Tangipahoa	195
Cameron	3	Tensas	17
Catahoula	16	Terrebonne	117
Claiborne	38	Union	24
Concordia	27	Vermilion	52
De Soto	32	Vernon	28
East Baton Rouge	2,041	Washington	94
East Carroll	20	Webster	25
East Feliciana	84	West Baton Rouge	58
Evangeline	45	West Carroll	7
Franklin	13	West Feliciana	94
Grant	17	Winn	29
Iberia	67		
Iberville	260		
Jackson	19		
Jefferson	963		
Jefferson Davis	31		
La Salle	11		
Lafayette	357		
Lafourche	77		
Lincoln	42		
Livingston	99		
Madison	17		
Morehouse	35		
Natchitoches	58		
Orleans	2,455		
Ouachita	300		
Plaquemines	25		
Pointe Coupee	35		
Rapides	207		
Red River	9		
Richland	27		

10,360 Total

Persons Living with HIV/AIDS Metro New Orleans as of June 30, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- 15,620 cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including 161 pediatric cases.
- 6,784 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA since the beginning of the epidemic, including 55 pediatric deaths
- 7,173 persons are currently living with HIV/AIDS in the New Orleans MSA.

Persons living with HIV: 3,247 Persons living with AIDS: 3,926

	Cases	Percent
Women	1,889	26 %
Men	5,284	74 %
Total	7,173	100%

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	23	<1 %	Black, Non-Hispanic	2,899	1,549	4,448	62 %
13 - 19	44	1 %	White, Non-Hispanic	2,004	228	2,232	31 %
20 - 24	300	4 %	Hispanic	310	95	405	6 %
25 - 29	591	8 %	Asian/Pacific Islander	30	7	37	1 %
30 - 34	707	10 %	American Indian	8	0	8	<1 %
35 - 39	805	11 %	Unknown	3	1	4	<1 %
40 - 44	883	12 %	Multi-race	30	9	39	1 %
45 - 49	1,090	15 %	Total	5,284	1,889	7,173	100 %
50 - 54	1,118	16 %					
55 - 59	808	11 %					
60+	804	11 %					
Total	7.173	100 %					

EX	posi	ıre	Cai	teg	ory

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,821	0	2,821	58 %
Injection drug use	342	205	547	11 %
Men who have sex with men and inject drugs	285	0	285	6 %
Heterosexual contact	341	742	1,083	22 %
Transfusion/Hemophilia	18	14	32	1 %
Perinatal	32	41	73	2 %
Total	3,839	1,002	4,841	100 %
No Identified Risk	1,445	887	2,332	

Persons Living with AIDS Metro New Orleans as of June 30, 2013

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- 10,714 cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including 84 pediatric cases.
- 3,926 persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	997	25 %
Men	2,929	75 %
Total	3,926	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,603	825	2,428	62 %
13 - 19	12	<1 %	White, Non-Hispanic	1,115	100	1,215	31 %
20 - 24	88	2 %	Hispanic	174	65	239	6 %
25 - 29	170	4 %	Asian/Pacific Islander	15	3	18	<1 %
30 - 34	310	8 %	American Indian	2	0	2	<1 %
35 - 39	400	10 %	Multi-race	20	4	24	1 %
40 - 44	505	13 %	Total	2,929	997	3,926	100 %
45 - 49	684	17 %					
50 - 54	711	18 %					
55 - 59	528	13 %					
60+	515	13 %					
Total	3,926	100 %					

$\mathbf{E}\mathbf{x}$	posure	<u>Category</u>

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,548	0	1,548	56 %
Injection drug use	223	118	341	12 %
Men who have sex with men and inject drugs	190	0	190	7 %
Heterosexual contact	219	416	635	23 %
Transfusion/Hemophilia	13	9	22	1 %
Perinatal	13	18	31	1 %
Total	2,206	561	2,767	100 %

No Identified Risk 723 436 1,159

Persons Newly Diagnosed with HIV/AIDS Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2012

• 433 persons were newly diagnosed with HIV in the New Orleans MSA in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	305	70 %	Black, Non-Hispanic	310	69 %
Women	128	30 %	White, Non-Hispanic	95	22 %
Total	433	100 %	Hispanic	21	8 %
			Asian/Pacific Islander	4	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	433	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	4	1 %	Men who have sex with men	178	64 %
13 - 24	101	23 %	Injection drug use	15	5 %
25 - 34	128	30 %	Men who have sex with men and inject drugs	3	1 %
35 - 44	83	19 %	Heterosexual contact	77	28 %
45+	117	27 %	Perinatal	4	1 %
Total	433	100 %	Total	277	100 %
			No Identified Risk	156	

AIDS CASES DIAGNOSED January - December 2012

• 287 persons were newly diagnosed with AIDS in the New Orleans MSA in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	207	72 %	Black, Non-Hispanic	217	69 %
Women	80	28 %	White, Non-Hispanic	49	25 %
Total	287	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	2	1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	287	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	113	58 %
13 - 24	40	14 %	Injection drug use	16	8 %
25 - 34	79	28 %	Men who have sex with men and inject drugs	7	4 %
35 - 44	76	26 %	Heterosexual contact	58	30 %
45+	91	32 %	Perinatal	2	1 %
Total	287	100 %	Total	196	100 %

No Identified Risk

Persons Living with HIV/AIDS Metro Baton Rouge as of June 30, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- 7,743 cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including 77 pediatric cases.
- 3,274 cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA since the beginning of the epidemic, including 19 pediatric deaths.
- 5,304 persons are currently living with HIV/AIDS in the Baton Rouge MSA.

Persons living with HIV: 2,243 Persons living with AIDS: 2,791

	Cases	Percent
Women	1,848	37 %
Men	3,186	63 %
Total	5.034	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	23	<1 %	Black, Non-Hispanic	2,470	1,657	4,127	82 %
13 - 19	41	1 %	White, Non-Hispanic	644	166	810	16 %
20 - 24	224	4 %	Hispanic	48	15	63	1 %
25 - 29	413	8 %	Asian/Pacific Islander	8	3	11	<1 %
30 - 34	601	12 %	American Indian	2	1	3	<1 %
35 - 39	638	13 %	Multi-race	14	6	20	<1 %
40 - 44	691	14 %	Total	3,186	1,848	5,034	100 %
45 - 49	713	14 %					
50 - 54	727	14 %					
55 - 59	487	10 %					
60+	476	9 %					
Total	5,034	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,235	0	1,235	40 %
Injection drug use	394	242	636	20 %
Men who have sex with men and inject drugs	203	0	203	6 %
Heterosexual contact	318	661	979	31 %
Transfusion/Hemophilia	6	9	15	<1 %
Perinatal	30	28	58	2 %
Total	2,186	940	3,126	100 %
No Identified Risk	1,000	908	1,908	

Persons Living with AIDS Metro Baton Rouge as of June 30, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,248** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **34** pediatric cases.
- 2,791 persons are currently living with AIDS in the Baton Rouge MSA.

Gend	er

	Cases	Percent
Women	951	34 %
Men	1,840	66 %
Total	2,791	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,446	864	2,310	83 %
13 - 19	13	<1 %	White, Non-Hispanic	358	76	424	16 %
20 - 24	57	2 %	Hispanic	23	9	32	1 %
25 - 29	143	5 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	277	10 %	American Indian	2	0	2	<1 %
35 - 39	335	12 %	Multi-race	8	2	10	<1 %
40 - 44	407	15 %	Total	1,840	951	2,791	100 %
45 - 49	452	16 %					
50 - 54	471	17 %					
55 - 59	319	11 %					
60+	314	11 %					
Total	2,791	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	658	0	658	36 %
Injection drug use	305	147	452	25 %
Men who have sex with men and inject drugs	146	0	146	8 %
Heterosexual contact	188	349	537	29 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	10	9	19	1 %
Total	1,311	512	1,823	100 %
No Identified Risk	529	439	968	

105

Persons Newly Diagnosed with HIV/AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2012

• 292 persons were newly diagnosed with HIV in the Baton Rouge MSA in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	187	64 %	Black, Non-Hispanic	250	86 %
Women	105	36 %	White, Non-Hispanic	35	12 %
Total	292	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	292	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	4	1 %	Men who have sex with men	93	58 %
13 - 24	68	23 %	Injection drug use	14	9 %
25 - 34	85	29 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	63	22 %	Heterosexual contact	45	28 %
45+	72	25 %	Perinatal	4	2 %
Total	292	100 %	Total	160	100 %
			No Identified Risk	132	

AIDS CASES DIAGNOSED January - December 2012

• 211 persons were newly diagnosed with AIDS in the Baton Rouge MSA in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	131	62 %	Black, Non-Hispanic	189	90 %
Women	80	38 %	White, Non-Hispanic	20	8 %
Total	211	100 %	Hispanic	2	1 %
			Total	211	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	30	14 %	Men who have sex with men	55	52 %
25 - 34	59	28 %	Injection drug use	20	19 %
35 - 44	51	24 %	Men who have sex with men and inject drugs	3	3 %
45+	71	34 %	Heterosexual contact	28	26 %
Total	211	100 %	Total	106	100 %

No Identified Risk

Persons Living with HIV/AIDS Region 1: New Orleans Region as of June 30, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- 14,630 cumulative cases have been detected in Region 1 since the beginning of the epidemic, including 144 pediatric cases.
- 6,372 cumulative deaths among persons in Region 1 with HIV/AIDS have occurred since the beginning of the epidemic, including 50 pediatric deaths.
- 6,446 persons are currently living with HIV/AIDS in Region 1.

Persons living with HIV: 2,916
Persons living with AIDS: 3,530

Gender

	Cases	Percent
Women	1,695	26 %
Men	4,751	74 %
Total	6,446	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	18	<1 %	Black, Non-Hispanic	2,671	1,415	4,086	63 %
13 - 19	37	1 %	White, Non-Hispanic	1,723	175	1,898	29 %
20 - 24	257	4 %	Hispanic	293	88	381	6 %
25 - 29	531	8 %	Asian/Pacific Islander	28	7	35	1 %
30 - 34	643	10 %	American Indian	8	0	8	<1 %
35 - 39	730	11 %	Unknown	3	1	4	<1 %
40 - 44	795	12 %	Multi-race	25	9	34	1 %
45 - 49	967	15 %	Total	4,751	1,695	6,446	100 %
50 - 54	1,005	16 %					
55 - 59	728	11 %					
60+	735	11 %					
Total	6,446	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,511	0	2,511	58 %
Injection drug use	318	186	504	12 %
Men who have sex with men and inject drugs	263	0	263	6 %
Heterosexual contact	306	668	974	22 %
Transfusion/Hemophilia	15	14	29	1 %
Perinatal	25	34	59	1 %
Total	3,438	902	4,340	100 %
No Identified Risk	1,313	793	2,106	

Persons Living with AIDS Region 1: New Orleans Region as of June 30, 2013

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- 10,020 cumulative AIDS cases have been diagnosed in Region 1 since the beginning of the epidemic, including 75 pediatric cases.
- 3,530 persons are currently living with AIDS in Region 1.

Gender

	Cases	Percent		
Women	905	26 %		
Men	2,625	74 %		
Total	3,530	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,470	759	2,229	63 %
13 - 19	10	<1 %	White, Non-Hispanic	985	78	1,036	29 %
20 - 24	70	2 %	Hispanic	164	61	225	6 %
25 - 29	157	4 %	Asian/Pacific Islander	14	3	17	<1 %
30 - 34	285	8 %	American Indian	2	0	2	<1 %
35 - 39	354	10 %	Multi-race	17	4	21	1 %
40 - 44	459	13 %	Total	2,625	905	3,530	100 %
45 - 49	612	17 %					
50 - 54	635	18 %					
55 - 59	481	14 %					
60+	464	13 %					
Total	3,530	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,381	0	1,381	55 %
Injection drug use	207	110	317	13 %
Men who have sex with men and inject drugs	174	0	174	7 %
Heterosexual contact	195	380	575	23 %
Transfusion/Hemophilia	10	9	19	1 %
Perinatal	9	15	24	1 %
Total	1,976	514	2,490	100 %
No Identified Risk	649	391	1.040	

Persons Newly Diagnosed with HIV/AIDS Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2012

• 441 persons were newly diagnosed with HIV in Region 1 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	265	71 %	Black, Non-Hispanic	274	73 %
Women	109	29 %	White, Non-Hispanic	77	21 %
Total	374	100 %	Hispanic	17	5 %
			Asian/Pacific Islander	3	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	374	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	3	1 %	Men who have sex with men	156	64 %
13 - 24	86	23 %	Injection drug use	12	5 %
25 - 34	114	30 %	Men who have sex with men and inject drugs	3	1 %
35 - 44	73	20 %	Heterosexual contact	71	29 %
45+	98	26 %	Perinatal	3	1 %
Total	374	100 %	Total	245	100 %

No Identified Risk

AIDS CASES DIAGNOSED January - December 2012

• 256 persons were newly diagnosed with AIDS in Region 1 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	185	72 %	Black, Non-Hispanic	199	78 %
Women	71	28 %	White, Non-Hispanic	37	14 %
Total	256	100 %	Hispanic	16	6 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	2	1 %
			Total	256	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	99	56 %
13 - 24	32	12 %	Injection drug use	15	9 %
25 - 34	76	30 %	Men who have sex with men and inject drugs	7	4 %
35 - 44	67	26 %	Heterosexual contact	53	30 %
45+	80	31 %	Perinatal	2	1 %
Total	256	100 %	Total	176	100 %

No Identified Risk

80

129

Persons Living with HIV/AIDS Region 2: Baton Rouge Region as of June 30, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- 7,474 cumulative cases have been detected in Region 2 since the beginning of the epidemic, including 72 pediatric cases.
- 3,158 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred since the beginning of the epidemic, including 16 pediatric deaths.
- 4,834 persons are currently living with HIV/AIDS in Region 2.

Persons living with HIV: 2,154
Persons living with AIDS: 2,680

Gender

	Cases	Percent
Women	1,789	37 %
Men	3,045	63 %
Total	4.834	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	22	<1 %	Black, Non-Hispanic	2,421	1,635	4,056	84 %
13 - 19	39	1 %	White, Non-Hispanic	555	131	686	14 %
20 - 24	214	4 %	Hispanic	45	14	59	1 %
25 - 29	402	8 %	Asian/Pacific Islander	8	2	10	<1 %
30 - 34	586	12 %	American Indian	2	1	3	<1 %
35 - 39	611	13 %	Multi-race	14	6	20	<1 %
40 - 44	667	14 %	Total	3,045	1,789	4,834	100 %
45 - 49	681	14 %					
50 - 54	690	14 %					
55 - 59	465	10 %					
60+	457	9 %					
Total	4,834	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,165	0	1,165	39 %
Injection drug use	376	232	608	20 %
Men who have sex with men and inject drugs	195	0	195	7 %
Heterosexual contact	304	639	943	32 %
Transfusion/Hemophilia	5	9	14	<1 %
Perinatal	29	26	55	2 %
Total	2,074	906	2,980	100 %
No Identified Risk	971	883	1,854	

Persons Living with AIDS Region 2: Baton Rouge Region as of June 30, 2013

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- 5,074 cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including 32 pediatric cases.
- 2,680 persons are currently living with AIDS in Region 2.

Gender

	Cases	Percent
Women	918	34 %
Men	1,762	66 %
Total	2,680	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,417	849	2,266	85 %
13 - 19	13	<1 %	White, Non-Hispanic	310	59	369	14 %
20 - 24	53	2 %	Hispanic	22	8	30	1 %
25 - 29	140	5 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	272	10 %	American Indian	2	0	2	<1 %
35 - 39	321	12 %	Multi-race	8	2	10	<1 %
40 - 44	395	15 %	Total	1,762	918	2,680	100 %
45 - 49	430	16 %					
50 - 54	446	17 %					
55 - 59	303	11 %					
60+	304	11 %					
Total	2,680	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	623	0	623	36 %
Injection drug use	290	142	432	25 %
Men who have sex with men and inject drugs	142	0	142	8 %
Heterosexual contact	179	337	516	30 %
Transfusion/Hemophilia	3	7	10	1 %
Perinatal	10	8	18	1 %
Total	1,247	494	1,741	100 %
No Identified Risk	515	424	939	

Persons Newly Diagnosed with HIV/AIDS Region 2: Baton Rouge Region

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2012

• 275 persons were newly diagnosed with HIV in Region 2 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	174	63 %	Black, Non-Hispanic	243	88 %
Women	101	37 %	White, Non-Hispanic	25	9 %
Total	275	100 %	Hispanic	6	2 %
			Asian/Pacific Islander	1	<1 %
			Total	275	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	4	1 %	Men who have sex with men	84	56 %
13 - 24	63	23 %	Injection drug use	12	8 %
25 - 34	82	30 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	58	21 %	Heterosexual contact	45	30 %
45+	68	25 %	Perinatal	4	3 %
Total	275	100 %	Total	149	100 %

No Identified Risk 126

AIDS CASES DIAGNOSED January - December 2012

• 200 persons were newly diagnosed with AIDS in Region 2 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	124	62 %	Black, Non-Hispanic	183	92 %
Women	76	38 %	White, Non-Hispanic	15	8 %
Total	200	100 %	Hispanic	2	1 %
			Total	200	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	26	13 %	Men who have sex with men	52	51 %
25 - 34	59	30 %	Injection drug use	19	19 %
35 - 44	49	24 %	Men who have sex with men and inject drugs	3	3 %
45+	66	33 %	Heterosexual contact	27	27 %
Total	200	100 %	Total	101	100 %

No Identified Risk

99

Persons Living with HIV/AIDS Region 3: Houma Region

as of June 30, 2013

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- 1,128 cumulative cases have been detected in Region 3 since the beginning of the epidemic, including 17 pediatric cases.
- 514cumulative deaths among persons in Region 3 with HIV/AIDS have occurred since the beginning of the epidemic, including 8 pediatric deaths.
- 758 persons are currently living with HIV/AIDS in Region 3.

Persons living with HIV: 328
Persons living with AIDS: 430

Gender

	Cases	Percent
Women	242	32 %
Men	516	68 %
Total	758	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	275	181	456	60 %
13 - 19	8	1 %	White, Non-Hispanic	212	52	264	35 %
20 - 24	48	6 %	Hispanic	19	5	24	3 %
25 - 29	82	11 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	85	11 %	American Indian	1	2	3	<1 %
35 - 39	85	11 %	Multi-race	7	1	8	1 %
40 - 44	83	11 %	Total	516	242	758	100 %
45 - 49	107	14 %					
50 - 54	112	15 %					
55 - 59	75	10 %					
60+	71	9 %					
Total	758	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	291	0	291	56 %
Injection drug use	34	21	55	11 %
Men who have sex with men and inject drugs	18	0	18	3 %
Heterosexual contact	34	113	147	28 %
Perinatal	6	5	11	2 %
Total	383	139	522	100 %
No Identified Risk	133	103	236	

Persons Living with AIDS Region 3: Houma Region as of June 30, 2013

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- 838 cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including 10 pediatric cases.
- 430 persons are currently living with AIDS in Region 3.

Ge	nd	er

	Cases	Percent
Women	128	30 %
Men	302	70 %
Total	430	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	•	Men	Women	Total	Percent
13 - 19	2	<1 %	Black, Non-Hispanic	167	98	265	62 %
20 - 24	18	4 %	White, Non-Hispanic	116	24	140	33 %
25 - 29	27	6 %	Hispanic	14	2	16	4 %
30 - 34	42	10 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	46	11 %	American Indian	1	2	3	1 %
40 - 44	45	10 %	Multi-race	3	1	4	1 %
45 - 49	70	16 %	Total	302	128	430	100 %
50 - 54	76	18 %					
55 - 59	58	13 %					
60+	46	11 %					
Total	430	100 %					

Exposure Cat	tegory	
--------------	--------	--

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	159	0	159	54 %
Injection drug use	25	12	37	13 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	23	57	80	27 %
Perinatal	3	4	7	2 %
Total	213	73	295	100 %
No Identified Risk	80	55	135	

Persons Newly Diagnosed with HIV/AIDS Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

HIV CASES DIAGNOSED January - December 2012

• 56 persons were newly diagnosed with HIV in Region 3 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	38	68 %	Black, Non-Hispanic	47	84 %
Women	18	32 %	White, Non-Hispanic	6	11 %
Total	56	100 %	Hispanic	3	5 %
			Total	56	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	16	53 %
13 - 24	13	23 %	Injection drug use	1	3 %
25 - 34	16	29 %	Heterosexual contact	12	40 %
35 - 44	12	21%	Perinatal	1	3 %
45+	14	25 %	Total	30	100 %
Total	56	100 %			
			No Identified Risk	26	

AIDS CASES DIAGNOSED January - December 2012

• 36 persons were newly diagnosed with AIDS in Region 3 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	25	69 %	Black, Non-Hispanic	29	81 %
Women	11	31 %	White, Non-Hispanic	6	17 %
Total	36	100 %	Hispanic	1	3 %
			Total	36	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	11	31 %	Men who have sex with men	15	68 %
25 - 34	7	19 %	Heterosexual contact	7	32 %
35 - 44	8	22 %	Total	22	100 %
45+	10	28 %			
Total	36	100 %	No Identified Risk	14	

Persons Living with HIV/AIDS Region 4: Lafayette Region as of June 30, 2013

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- 2,163 cumulative cases have been detected in Region 4 since the beginning of the epidemic, including 17 pediatric cases.
- 984 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred since the beginning of the epidemic, including 10 pediatric deaths.
- 1,466 persons are currently living with HIV/AIDS in Region 4.

Persons living with HIV: 665
Persons living with AIDS: 801

Gender

	Cases	Percent
Women	372	25 %
Men	1,094	75 %
Total	1,466	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	.	Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	577	259	836	57 %
13 - 19	8	1 %	White, Non-Hispanic	454	102	556	38 %
20 - 24	60	4 %	Hispanic	51	3	54	4 %
25 - 29	113	8 %	Asian/Pacific Islander	2	2	4	<1 %
30 - 34	141	10 %	American Indian	2	1	3	<1 %
35 - 39	140	10 %	Unknown	1	0	1	<1 %
40 - 44	176	12 %	Multi-race	7	5	12	1 %
45 - 49	265	18 %	Total	1,094	372	1,466	100 %
50 - 54	262	18 %					
55 - 59	166	11 %					
60+	132	9 %					
Total	1,466	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	524	0	524	54 %
Injection drug use	78	46	124	13 %
Men who have sex with men and inject drugs	58	0	58	6 %
Heterosexual contact	77	166	243	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	748	220	968	100 %
No Identified Risk	346	152	498	

Persons Living with AIDS Region 4: Lafayette Region as of June 30, 2013

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- 1,447 cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including 14 pediatric cases.
- 801 persons are currently living with AIDS in Region 4.

|--|

	Cases	Percent
Women	183	23 %
Men	618	77 %
Total	801	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	316	134	450	56 %
13 - 19	3	<1 %	White, Non-Hispanic	274	45	319	40 %
20 - 24	15	2 %	Hispanic	23	1	24	3 %
25 - 29	42	5 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	68	8 %	Multi-race	4	2	6	1 %
35 - 39	78	10 %	Total	618	183	801	100 %
40 - 44	95	12 %					
45 - 49	159	20 %					
50 - 54	157	20 %					
55 - 59	100	12 %					
60+	83	10 %					
Total	801	100 %					

Exp	osure	Category	

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	307	0	307	55 %
Injection drug use	51	22	73	13 %
Men who have sex with men and inject drugs	40	0	40	7 %
Heterosexual contact	37	88	125	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	3	5	8	1 %
Total	441	116	557	100 %
No Identified Risk	177	67	244	

Persons Newly Diagnosed with HIV/AIDS Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

HIV CASES DIAGNOSED January - December 2012

• 86 persons were newly diagnosed with HIV in Region 4 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	68	79 %	Black, Non-Hispanic	60	70 %
Women	18	21 %	White, Non-Hispanic	23	27 %
Total	86	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	2	2 %
			Total	86	100 %
Age at Detection	Cagan	Domoont	Cooper with a nonconted wiele	Cases	Percent
Age at Detection	Cases		Cases with a reported risk:		
13 - 24	27	31 %	Men who have sex with men	33	58%
25 - 34	15	17 %	Injection drug use	6	14%
35 - 44	14	16 %	Heterosexual contact	13	25 %
45+	30	35 %	Total	52	100 %
Total	86	100 %			
			No Identified Risk	34	

AIDS CASES DIAGNOSED January - December 2012

• 62 persons were newly diagnosed with AIDS in Region 4 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	45	73 %	Black, Non-Hispanic	43	69 %
Women	17	27 %	White, Non-Hispanic	17	27 %
Total	62	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	62	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	10	16 %	Men who have sex with men	19	53%
25 - 34	13	21 %	Injection drug use	6	17 %
35 - 44	11	18 %	Men who have sex with men and inject drugs	1	3 %
45+	28	45 %	Heterosexual contact	9	25 %
Total	62	100 %	Perinatal	1	3 %
			Total	36	100 %

No Identified Risk

26

Persons Living with HIV/AIDS Region 5: Lake Charles Region as of June 30, 2013

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- 1,354 cumulative cases have been detected in Region 5 since the beginning of the epidemic, including 10 pediatric cases.
- 537 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred since the beginning of the epidemic, including 2 pediatric deaths.
- 991 persons are currently living with HIV/AIDS in Region 5.

Persons living with HIV: 431 Persons living with AIDS: 560

Gender

	Cases	Percent
Women	227	23 %
Men	764	77 %
Total	991	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	417	154	571	58 %
13 - 19	5	1 %	White, Non-Hispanic	253	64	317	32 %
20 - 24	43	4 %	Hispanic	79	5	84	8 %
25 - 29	69	7 %	Asian/Pacific Islander	5	0	5	1 %
30 - 34	94	9 %	American Indian	3	0	3	<1 %
35 - 39	120	12 %	Multi-race	7	4	11	1 %
40 - 44	138	14 %	Total	764	227	991	100 %
45 - 49	168	17 %					
50 - 54	177	18 %					
55 - 59	97	10 %					
60+	78	8 %					
Total	991	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	329	0	329	46 %
Injection drug use	88	34	122	17 %
Men who have sex with men and inject drugs	67	0	67	9 %
Heterosexual contact	87	96	183	26 %
Transfusion/Hemophilia	4	0	4	1 %
Perinatal	3	6	9	1 %
Total	578	136	714	100 %
No Identified Risk	186	91	277	

Persons Living with AIDS Region 5: Lake Charles Region as of June 30, 2013

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- 934 cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including 6 pediatric cases.
- 560 persons are currently living with AIDS in Region 5.

Ger	nd	er

	Cases	Percent
Women	111	20 %
Men	449	80 %
Total	560	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	249	74	323	58 %
13 - 19	2	<1 %	White, Non-Hispanic	155	33	188	34 %
20 - 24	10	2 %	Hispanic	38	2	40	7 %
25 - 29	30	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	46	8 %	Multi-race	5	2	7	1 %
35 - 39	65	12 %	Total	449	111	560	100 %
40 - 44	78	14 %					
45 - 49	107	19 %					
50 - 54	113	20 %					
55 - 59	57	10 %					
60+	51	9 %					
Total	560	100 %					

Exposure	Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	198	0	198	46 %
Injection drug use	60	21	81	19 %
Men who have sex with men and inject drugs	46	0	46	11 %
Heterosexual contact	49	44	93	22 %
Transfusion/Hemophilia	3	0	3	1 %
Perinatal	2	3	5	1 %
Total	358	68	426	100 %
No Identified Risk	91	43	134	

Persons Newly Diagnosed with HIV/AIDS Region 5: Lake Charles Region

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

HIV CASES DIAGNOSED January - December 2012

• 50 persons were newly diagnosed with HIV in Region 5 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	42	84 %	Black, Non-Hispanic	23	46 %
Women	8	16 %	White, Non-Hispanic	23	46 %
Total	50	100 %	Hispanic	2	4 %
			Multi-race	2	4 %
			Total	50	100 %
Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	8	16 %	Men who have sex with men	24	60 %
25 - 34	12	24 %	Injection drug use	7	18 %
35 - 44	15	30 %	Heterosexual contact	9	22 %
45+	15	30%	Total	40	100 %
Total	50	100 %			
			No Identified Risk	10	

AIDS CASES DIAGNOSED January - December 2012

• 36 persons were newly diagnosed with AIDS in Region 5 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	27	75 %	Black, Non-Hispanic	20	56 %
Women	9	25 %	White, Non-Hispanic	13	36 %
Total	36	100 %	Hispanic	2	6 %
			Multi-race	1	3 %
			Total	36	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	2	6 %	Men who have sex with men	12	44 %
25 - 34	12	33 %	Injection drug use	5	19 %
35 - 44	11	31 %	Heterosexual contact	9	33 %
45+	11	31 %	Perinatal	1	4 %
Total	36	100 %	Total	27	100 %

No Identified Risk 9

Persons Living with HIV/AIDS Region 6: Alexandria Region as of June 30, 2013

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- 1,448 cumulative cases have been detected in Region 6 since the beginning of the epidemic, including 15 pediatric cases.
- 536 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred since the beginning of the epidemic, including 4 pediatric deaths.
- 794 persons are currently living with HIV/AIDS in Region 6.

Persons living with HIV: 387
Persons living with AIDS: 407

Gender

	Cases	Percent
Women	255	32 %
Men	539	68 %
Total	794	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	343	201	544	69 %
13 - 19	6	1 %	White, Non-Hispanic	154	47	201	25 %
20 - 24	30	4 %	Hispanic	36	4	40	5 %
25 - 29	60	8 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	81	10 %	American Indian	0	1	1	<1 %
35 - 39	122	15 %	Multi-race	3	2	5	1 %
40 - 44	104	13 %	Total	539	255	794	100 %
45 - 49	109	14 %					
50 - 54	126	16 %					
55 - 59	89	11 %					
60+	64	8 %					
Total	794	100 %					

$\mathbf{E}\mathbf{x}$	pos	ure	Cat	teg	ory

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	224	0	224	42 %
Injection drug use	51	24	75	14 %
Men who have sex with men and inject drugs	35	0	35	7 %
Heterosexual contact	62	119	181	34 %
Transfusion/Hemophilia	6	2	8	2 %
Perinatal	6	3	9	2 %
Total	384	148	532	100 %
No Identified Risk	155	107	262	

Persons Living with AIDS Region 6: Alexandria Region

as of June 30, 2013

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- 895 cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including 6 pediatric cases.
- 407 persons are currently living with AIDS in Region 6.

Gen	dei	Ì
-----	-----	---

	Cases	Percent
Women	127	31 %
Men	280	69 %
Total	407	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	186	99	285	70 %
13 - 19	1	<1 %	White, Non-Hispanic	80	26	106	26 %
20 - 24	7	2 %	Hispanic	12	1	13	3 %
25 - 29	17	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	35	9 %	Multi-race	1	1	2	<1 %
35 - 39	54	13%	Total	280	127	407	100 %
40 - 44	62	15 %					
45 - 49	66	16 %					
50 - 54	73	18 %					
55 - 59	49	12 %					
60+	42	10 %					
Total	407	100 %					

|--|

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	108	0	108	39 %
Injection drug use	25	14	39	14 %
Men who have sex with men and inject drugs	27	0	27	10 %
Heterosexual contact	34	60	94	34 %
Transfusion/Hemophilia	4	1	5	2 %
Perinatal	2	2	4	1 %
Total	200	77	277	100 %
No Identified Risk	80	50	130	

Persons Newly Diagnosed with HIV/AIDS Region 6: Alexandria Region

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

HIV CASES DIAGNOSED January - December 2012

• 71 persons were newly diagnosed with HIV in Region 6 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	53	75 %	Black, Non-Hispanic	35	49 %
Women	18	25 %	White, Non-Hispanic	16	23 %
Total	71	100 %	Hispanic	18	25 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	71	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	20	53 %
13 - 24	12	17 %	Injection drug use	2	5 %
25 - 34	16	23 %	Men who have sex with men and inject drugs	2	5 %
35 - 44	19	27 %	Heterosexual contact	13	34 %
45+	23	32 %	Perinatal	1	3 %
Total	71	100 %	Total	38	100 %
			No Identified Risk	33	

AIDS CASES DIAGNOSED January - December 2012

• 39 persons were newly diagnosed with AIDS in Region 6 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	21	54 %	Black, Non-Hispanic	32	82 %
Women	18	46 %	White, Non-Hispanic	4	10 %
Total	39	100 %	Hispanic	3	8 %
			Total	39	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	2	5 %	Men who have sex with men	8	38 %
25 - 34	12	31 %	Injection drug use	1	5 %
35 - 44	12	31 %	Men who have sex with men and inject drugs	1	5 %
45+	13	33 %	Heterosexual contact	11	52 %
Total	39	100 %	Total	21	100 %

No Identified Risk 18

Persons Living with HIV/AIDS Region 7: Shreveport Region

as of June 30, 2013

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- 2,325 cumulative cases have been detected in Region 7 since the beginning of the epidemic, including 27 pediatric cases.
- 1,039 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred since the beginning of the epidemic, including 12 pediatric deaths.
- 1,552 persons are currently living with HIV/AIDS in Region 7.

Persons living with HIV: **751** Persons living with AIDS: **801**

Gender

	Cases	Percent
Women	455	29 %
Men	1,097	71 %
Total	1,552	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	749	367	1,116	72 %
13 - 19	15	1 %	White, Non-Hispanic	311	80	391	25 %
20 - 24	119	8 %	Hispanic	20	7	27	2 %
25 - 29	159	10 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	191	12 %	American Indian	8	0	8	1 %
35 - 39	191	12 %	Multi-race	5	1	6	<1 %
40 - 44	180	12 %	Total	1,097	455	1,552	100 %
45 - 49	215	14 %					
50 - 54	211	14 %					
55 - 59	137	9 %					
60+	131	8 %					
Total	1,552	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	578	0	578	55 %
Injection drug use	61	42	103	10 %
Men who have sex with men and inject drugs	78	0	78	7 %
Heterosexual contact	76	204	280	26 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	6	7	13	1 %
Total	802	256	1,058	100 %
No Identified Risk	295	199	494	

Persons Living with AIDS Region 7: Shreveport Region as of June 30, 2013

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- 1,517 cumulative AIDS cases have been diagnosed in Region 7 since the beginning of the epidemic, including 19 pediatric cases.
- **801** persons are currently living with AIDS in Region 7.

Gend	er

	Cases	Percent
Women	230	27 %
Men	571	73 %
Total	801	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	387	187	574	72 %
13 - 19	5	1 %	White, Non-Hispanic	167	37	204	25 %
20 - 24	30	4 %	Hispanic	8	5	13	2 %
25 - 29	52	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	79	10 %	American Indian	5	0	5	1 %
35 - 39	93	12 %	Multi-race	3	1	4	<1 %
40 - 44	95	12 %	Total	571	230	801	100 %
45 - 49	131	16 %					
50 - 54	138	17 %					
55 - 59	92	11 %					
60+	85	11 %					
Total	801	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	283	0	283	50 %
Injection drug use	42	16	58	10 %
Men who have sex with men and inject drugs	49	0	49	9 %
Heterosexual contact	57	108	165	29 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	5	8	1 %
Total	436	132	568	100 %
No Identified Risk	135	98	233	

Persons Newly Diagnosed with HIV/AIDS Region 7: Shreveport Region

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

HIV CASES DIAGNOSED January - December 2012

• 99 persons were newly diagnosed with HIV in Region 7 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	74	75 %	Black, Non-Hispanic	78	79 %
Women	25	25 %	White, Non-Hispanic	14	14 %
Total	99	100 %	Hispanic	3	3 %
			Asian/Pacific Islander	1	1 %
			Multi-race	3	3 %
			Total	99	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	26	26 %	Men who have sex with men	39	76 %
25 - 34	25	25 %	Injection drug use	3	6 %
35 - 44	27	27 %	Men who have sex with men and inject drugs	1	2 %
45+	21	21%	Heterosexual contact	8	16 %
Total	99	100 %	Total	51	100 %

No Identified Risk 48

AIDS CASES DIAGNOSED January - December 2012

• 70 persons were newly diagnosed with AIDS in Region 7 in 2012.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	44	63 %	Black, Non-Hispanic	57	81 %
Women	26	37 %	White, Non-Hispanic	10	14 %
Total	70	100 %	Hispanic	1	1 %
			American Indian	1	1 %
			Multi-race	1	1 %
			Total	70	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	16	23 %	Men who have sex with men	20	53 %
25 - 34	20	29 %	Injection drug use	3	8 %
35 - 44	17	24 %	Heterosexual contact	15	39 %
45+	17	24 %	Total	38	100 %
Total	70	100 %			
			No Identified Risk	32	

Persons Living with HIV/AIDS Region 8: Monroe Region

as of June 30, 2013

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- 1,681 cumulative cases have been detected in Region 8 since the beginning of the epidemic, including 18 pediatric cases.
- 714 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred since the beginning of the epidemic, including 4 pediatric deaths.
- 1,009 persons are currently living with HIV/AIDS in Region 8.

Persons living with HIV: 480 Persons living with AIDS: 529

Gender

	Cases	Percent
Women	347	34 %
Men	662	66 %
Total	1.009	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	475	293	768	76 %
13 - 19	14	1 %	White, Non-Hispanic	165	46	211	21 %
20 - 24	53	5 %	Hispanic	13	5	18	2 %
25 - 29	77	7 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	119	14 %	American Indian	2	0	2	<1 %
35 - 39	128	12 %	Unknown	1	0	1	<1 %
40 - 44	133	13 %	Multi-race	3	2	5	<1 %
45 - 49	132	15 %	Total	633	347	1,009	100 %
50 - 54	148	14 %					
55 - 59	100	11 %					
60+	98	8 %					
Total	1,009	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	342	0	342	49 %
Injection drug use	40	35	75	11 %
Men who have sex with men and inject drugs	43	0	43	6 %
Heterosexual contact	68	154	222	32 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	10	14	2 %
Total	499	202	701	100 %
No Identified Risk	163	145	308	

Persons Living with AIDS Region 8: Monroe Region as of June 30, 2013

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- 1,084 cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including 8 pediatric cases.
- 529 persons are currently living with AIDS in Region 8.

Gende	er

	Cases	Percent
Women	167	32 %
Men	362	68 %
Total	529	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	254	141	395	75 %
13 - 19	4	1 %	White, Non-Hispanic	96	23	119	22 %
20 - 24	15	3 %	Hispanic	8	2	10	2 %
25 - 29	20	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	45	9 %	American Indian	1	0	1	<1 %
35 - 39	78	15 %	Multi-race	1	1	2	<1 %
40 - 44	82	16 %	Total	356	167	529	100 %
45 - 49	78	15 %					
50 - 54	84	16 %					
55 - 59	63	12 %					
60+	59	11 %					
Total	529	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	172	0	172	45 %
Injection drug use	25	23	48	13 %
Men who have sex with men and inject drugs	29	0	29	7 %
Heterosexual contact	46	78	124	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	2	3	1 %
Total	277	104	381	100 %
No Identified Risk	85	62	148	

Persons Newly Diagnosed with HIV/AIDS

Region 8: Monroe Region

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

HIV CASES DIAGNOSED January - December 2012

• 85 persons were newly diagnosed with HIV in Region 8 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	60	71 %	Black, Non-Hispanic	69	81 %
Women	25	29 %	White, Non-Hispanic	12	14 %
Total	85	100 %	Hispanic	3	4 %
			American Indian	1	1 %
			Total	85	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	27	32 %	Men who have sex with men	28	68 %
25 - 34	16	19 %	Injection drug use	1	2 %
35 - 44	14	16 %	Men who have sex with men and inject drugs	1	2 %
45+	28	33 %	Heterosexual contact	11	27 %
Total	85	100 %	Total	41	100 %
			No Identified Risk	44	

AIDS CASES DIAGNOSED January - December 2012

• 51 persons were newly diagnosed with AIDS in Region 8 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	32	63 %	Black, Non-Hispanic	41	80 %
Women	19	37 %	White, Non-Hispanic	5	10 %
Total	51	100 %	Hispanic	3	6 %
			American Indian	1	2 %
			Multi-race	1	2 %
			Total	51	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	7	14 %	Men who have sex with men	12	50 %
25 - 34	9	18 %	Injection drug use	2	8 %
35 - 44	16	31 %	Heterosexual contact	9	38 %
45+	19	37 %	Perinatal	1	4 %
Total	51	100 %	Total	24	100 %

No Identified Risk

27

Persons Living with HIV/AIDS Region 9: Hammond/Slidell Region as of June 30, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- 1,509 cumulative cases have been detected in Region 9 since the beginning of the epidemic, including 18 pediatric cases.
- 636 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred since the beginning of the epidemic, including 7 pediatric deaths.
- 1,122 persons are currently living with HIV/AIDS in Region 9.

Persons living with HIV: 500 Persons living with AIDS: 622

Gender

	Cases	Percent
Women	292	26 %
Men	830	74 %
Total	1.122	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	373	190	563	50 %
13 - 19	6	1 %	White, Non-Hispanic	426	93	519	46 %
20 - 24	41	4 %	Hispanic	23	8	31	3 %
25 - 29	73	7 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	86	8 %	Multi-race	6	0	6	1 %
35 - 39	123	11 %	Total	830	292	1,122	100 %
40 - 44	146	13 %					
45 - 49	211	19 %					
50 - 54	195	17 %					
55 - 59	129	11 %					
60+	106	9 %					
Total	1,122	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	444	0	444	56 %
Injection drug use	65	45	110	14 %
Men who have sex with men and inject drugs	51	0	51	6 %
Heterosexual contact	60	105	165	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	7	17	2 %
Total	636	157	793	100 %
No Identified Risk	194	135	329	

Persons Living with AIDS Region 9: Hammond/Slidell Region as of June 30, 2013

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- 1,028 cumulative AIDS cases have been diagnosed in Region 9 since the beginning of the epidemic, including 10 pediatric cases.
- 622 persons are currently living with AIDS in Region 9.

Gender

	Cases	Percent
Women	143	23 %
Men	479	77 %
Total	622	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	215	94	309	50 %
20 - 24	13	2 %	White, Non-Hispanic	245	44	289	46 %
25 - 29	23	4 %	Hispanic	13	5	18	3 %
30 - 34	33	5 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	69	11 %	Multi-race	5	0	5	1 %
40 - 44	76	12 %	Total	479	143	622	100 %
45 - 49	128	21 %					
50 - 54	127	20 %					
55 - 59	77	12 %					
60+	75	12 %					
Total	622	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	249	0	249	55 %
Injection drug use	47	23	70	16 %
Men who have sex with men and inject drugs	29	0	29	6 %
Heterosexual contact	37	51	88	20 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	5	2	7	2 %
Total	373	76	449	100 %
No Identified Risk	106	67	173	

Persons Newly Diagnosed with HIV/AIDS Region 9: Hammond/Slidell Region

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

HIV CASES DIAGNOSED January - December 2012

• 74 persons were newly diagnosed with HIV in Region 9 in 2012.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	58	78 %	Black, Non-Hispanic	35	47 %
Women	16	22 %	White, Non-Hispanic	34	46 %
Total	74	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	74	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	35	80 %
13 - 24	18	24 %	Injection drug use	5	11 %
25 - 34	16	22 %	Heterosexual contact	3	7 %
35 - 44	13	18%	Perinatal	1	2 %
45+	26	35 %	Total	44	100 %
Total	74	100 %			
			No Identified Risk	30	

AIDS CASES DIAGNOSED January - December 2012

• 48 persons were newly diagnosed with AIDS in Region 9 in 2012.


Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	36	75 %	Black, Non-Hispanic	25	52 %
Women	12	25 %	White, Non-Hispanic	21	44 %
Total	48	100 %	Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			Total	48	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	8	17 %	Men who have sex with men	18	69 %
25 - 34	10	21 %	Injection drug use	3	12 %
35 - 44	9	19 %	Men who have sex with men and inject drugs	1	4 %
45+	21	44 %	Heterosexual contact	4	15 %
Total	48	100 %	Total	26	100 %


No Identified Risk

22

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2003-2012)




*The number of new HIV diagnoses in 2012 is subject to change as the data are not finalized.




^{*} The number of new AIDS diagnoses in 2012 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2003-2012)



*The number of persons living with HIV/AIDS in 2012 is an overestimate because the 2012 death registry match has not occurred as of June 30, 2013.



*The number of persons living with AIDS in 2012 is an overestimate because the 2012 death registry match has not occurred as of June 30, 2013.